



Products that carry this brand are adjusted to the restriction of dangerous substances



All our products are recyclable and do not contaminate the environment



The Certificate of Conformity of Europe (Mark CE) is a mark to indicate that the product to which it is fixed is in conformity with Managing European norms of the Products safety union. These instructions of the UR apply to all the products used inside the European Economic Zone.

---

The lights have spare life of 50 000h

## Advantages of the LED Intelligent Lights

**Less energy consumption:** In general, a LED lamp consumes 65% less than the fluorescent, 80% less than the incandescent and halogen and 50% of the low-consumption.

**Cleaner:** do not contain mercury or other heavy metals and emit less CO<sub>2</sub> to achieve the same lighting as a result of their low power consumption. In addition do not radiate ultraviolet or infrared.

**Durability and good maintenance of the luminous flux:**

The durability of a LED lamp is 50,000 hours.

**Quick Start:** great advantage over compact fluorescent lamps.

**Generate little heat:** Do not burn when you touch them although they carry hours lit and save energy in air conditioning in summer to not emit heat.

**Great variety of color:** They are available in several colors with a price similar to white light standard.

**Ease of maintenance:** the refitting of the LED lights is very simple and does not require skilled labor.

**Great possibilities of design:** The variety of sizes, colors, and the total regulation of intensity allows possibilities decorative and functional endless.

## LED INTELLIGENT PANEL



### MT – PANEL 42W/B



White



Aluminum



## LED INTELLIGENT PANEL

**MT- PANEL 42W/B**  
**M-TECH**  
**MODEL: PANEL 42W/B**

SPECIFICATIONS	
<b>Type</b>	LED Intelligent Panel
<b>Luminous flux</b>	3700 lm
<b>Luminaire consumption</b>	42W
<b>Lighting</b>	Warm White 2700K / Neutral White 4000K / Cold White 6500K 84 CRI
<b>Lifespan</b>	50,000 hours @ L70
<b>Driver</b>	20 / 50-60 Hz, fixed (PSU). 220-240 / 50 60Hz, fixed (PSU)
<b>Finish</b>	Body in White
<b>Installation</b>	Recessed, suspended and attached
<b>UGR</b>	19 Square and rectangular 22

### PRODUCT IMAGE




LIGHTING SQUARE 60X60



LIGHTING RECTANGULAR 120X30

## LIGHTING SQUARE 60X60 DIMENSIONS (MM)



## LIGHTING RECTANGULAR 120 X 30 DIMENSIONS (MM)

